



3-phases adapter for Europe Track systems


3-phases adapter for Europe Track systems





Model	Package	Color
SW-0431 L-W	1 / 150	White □
SW-0431 L-S	1 / 150	Silver Grey ■
SW-0431 L-B	1 / 150	Black ■




Model	Package	Color
SW-0431 R-W	1 / 150	White □
SW-0431 R-S	1 / 150	Silver Grey ■
SW-0431 R-B	1 / 150	Black ■




Model	Package	Color
SW-0432-W	1 / 500	White □
SW-0432-S	1 / 500	Silver Grey ■
SW-0432-B	1 / 500	Black ■




Model	Package	Color
SW-0433-W	1 / 400	White □
SW-0433-S	1 / 400	Silver Grey ■
SW-0433-B	1 / 400	Black ■




Model	Package	Color
SW-0433A-W	1 / 400	White □
SW-0433A-S	1 / 400	Silver Grey ■
SW-0433A-B	1 / 400	Black ■





Model	Package	Color
SW-0434-W	1 / 165	White □
SW-0434-S	1 / 165	Silver Grey ■
SW-0434-B	1 / 165	Black ■




Model	Package	Color
SW-0435 L-W	1 / 154	White □
SW-0435 L-S	1 / 154	Silver Grey ■
SW-0435 L-B	1 / 154	Black ■




Model	Package	Color
SW-0435 R-W	1 / 154	White □
SW-0435 R-S	1 / 154	Silver Grey ■
SW-0435 R-B	1 / 154	Black ■




3-phases adapter for Europe Track systems




T"connector Left side 1




Model	Package	Color
SW-0436 L1 -W	1 / 84	White □
SW-0436 L1 -S	1 / 84	Silver Grey ■
SW-0436 L1-B	1 / 84	Black ■




T"connector Left side 2




Model	Package	Color
SW-0436 L2 -W	1 / 84	White □
SW-0436 L2 -S	1 / 84	Silver Grey ■
SW-0436 L2-B	1 / 84	Black ■




T"connector Right side 1



Model	Package	Color
SW-0436 R1 -W	1 / 84	White □
SW-0436 R1 -S	1 / 84	Silver Grey ■
SW-0436 R1-B	1 / 84	Black ■




T"connector Right side 2



Model	Package	Color
SW-0436 R2 -W	1 / 84	White □
SW-0436 R2 -S	1 / 84	Silver Grey ■
SW-0436 R2-B	1 / 84	Black ■



"+" Connector




Model	Package	Color
SW-0437-W	1 / 60	White □
SW-0437 -S	1 / 60	Silver Grey ■
SW-0437-B	1 / 60	Black ■



3-phases adapter for Europe Track systems




Flexible joint




Model	Package	Color
SW-0439-W	1 / 119	White □
SW-0439 -S	1 / 119	Silver Grey ■
SW-0439-B	1 / 119	Black ■

3-phase track
movable joint



Model	Package	Color
SW-M435-W	1 / 119	White □
SW-M435 -S	1 / 119	Silver Grey ■
SW-M435-B	1 / 119	Black ■







3-phases adapter for Europe Track systems



Model	Package	Color
SW-M438-W	1/119	White □
SW-M438-S	1/119	Silver Grey ■
SW-M438-B	1/119	Black ■








Model	Package	Color
SW-M436L-W	1/119	White □
SW-M436L-S	1/119	Silver Grey ■
SW-M436L-B	1/119	Black ■








Model	Package	Color
SW-M436R-W	1/119	White □
SW-M436R-S	1/119	Silver Grey ■
SW-M436R-B	1/119	Black ■

Embedded 3-Phase guide rail system




L / mm	a / mm	b / mm	c / mm	d / mm
1000	125			
2000	125	998		
3000	125		914	1167
4000	125		1247	1501






L / mm	a / mm	b / mm	c / mm	d / mm
1000	125			
2000	125	998		
3000	125		914	1167
4000	125		1247	1501




Model	Length of track	Material	Color	Package
SW-0610-W	1M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0610-S	1M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0610-B	1M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0620-W	2M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0620-S	2M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0620-B	2M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0630-W	3M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	8/392
SW-0630-S	3M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	8/392
SW-0630-B	3M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	8/392
SW-06400-W	4M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	6/294
SW-06400-S	4M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	6/294
SW-06400-B	4M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	6/294
SW-0602-W	5M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0602-S	5M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0602-B	5M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0604-W	6M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0604-S	6M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0604-B	6M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0606-W	7M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0606-S	7M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0606-B	7M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0608-W	8M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0608-S	8M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588
SW-0608-B	8M Track Excluding Line End Connector& End Caps	Aluminum	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	12/588


3-Phase DALI guide rail system




DALI track connector




Model	Package	Color
SW-D680-W	150 / 4800	White □
SW-D680-S	150 / 4800	Silver Grey ■
SW-D680-B	150 / 4800	Black ■




Line End Connector Left side




Model	Package	Color
SW-D631 L-W	1 / 150	White □
SW-D631 L-S	1 / 150	Silver Grey ■
SW-D631 L-B	1 / 150	Black ■




Line End Connector Right side




Model	Package	Color
SW-D631 R-W	1 / 150	White □
SW-D631 R-S	1 / 150	Silver Grey ■
SW-D631 R-B	1 / 150	Black ■




End cap



Model	Package	Color
SW-D632-W	1 / 500	White □
SW-D632-S	1 / 500	Silver Grey ■
SW-D632-B	1 / 500	Black ■




"I" Conductive Joint




Model	Package	Color
SW-0633A-W	1 / 400	White □
SW-0633A-S	1 / 400	Silver Grey ■
SW-0633A-B	1 / 400	Black ■


3-Phase DALI guide rail system




"I" connector




Model	Package	Color
SW-D634-W	1 / 165	White □
SW-D634-S	1 / 165	Silver Grey ■
SW-D634-B	1 / 165	Black ■




"L" connector Left side




Model	Package	Color
SW-D635 L-W	1 / 154	White □
SW-D635 L-S	1 / 154	Silver Grey ■
SW-D635 L-B	1 / 154	Black ■




"L" connector Right side




Model	Package	Color
SW-D635 R-W	1 / 154	White □
SW-D635 R-S	1 / 154	Silver Grey ■
SW-D635 R-B	1 / 154	Black ■




Flexible joint



Model	Package	Color
SW-D639-W	1 / 119	White □
SW-D639-S	1 / 119	Silver Grey ■
SW-D639-B	1 / 119	Black ■




"+" Connector




Model	Package	Color
SW-D637-W	1 / 60	White □
SW-D637-S	1 / 60	Silver Grey ■
SW-D637-B	1 / 60	Black ■


3-Phase DALI guide rail system




"T" connector Right side 2




Model	Package	Color
SW-D636 R2-W	1 / 84	White □
SW-D636 R2-S	1 / 84	Silver Grey ■
SW-D636 R2-B	1 / 84	Black ■




"T" connector Left side 1



Model	Package	Color
SW-D636 L1-W	1 / 84	White □
SW-D636 L1-S	1 / 84	Silver Grey ■
SW-D636 L1-B	1 / 84	Black ■




"T" connector Left side 2



Model	Package	Color
SW-D636 L2-W	1 / 84	White □
SW-D636 L2-S	1 / 84	Silver Grey ■
SW-D636 L2-B	1 / 84	Black ■




"T" connector Right side 1



Model	Package	Color
SW-D636 R1-W	1 / 84	White □
SW-D636 R1-S	1 / 84	Silver Grey ■
SW-D636 R1-B	1 / 84	Black ■



3 线 A 型导轨条 Three Line Track System




COLOUR:




LENGTH:

1000mm/1500mm/2000mm/3000mm



安装示意图 Installation diagram




产品介绍 Product introduction

3 线金卤灯导轨采用全铝材制造，内置全新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。


3-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements And also has the facility for direct surface mounting through knockouts at 500m spacing.

导轨接驳器 Track Connectors


3 线 A 电源接驳器 - 左
Feeder-L




3 线 A 电源接驳器 - 右
Feeder-R




3 线 A 迷你型直线接驳器
Straight connector MINI




3 线 A 直线接驳器
Straight connector




3 线 A L 型接驳器 - 左
L-connector - L




3 线 A L 型接驳器 - 右
L-connector - R




3 线 A 三向接驳器 - 左
T-connector - L




3 线 A 三向接驳器 - 右
T-connector - R




3 线 A 四向接驳器
X-connector




3 线 A 电源终接
End cap



3 线 A 多角度接驳器 (软接)
Flexible Connector



3 线 A 型美规导轨条
Three Line ASA Track



3 线 A 型嵌入式导轨条 Three Line Recessed Track System




COLOUR:




LENGTH:

1000mm/1500mm/2000mm/3000mm



安装示意图 Installation diagram




产品介绍 Product introduction

3 线金卤灯导轨采用全铝材制造，内置全新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。


3-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements And also has the facility for direct surface mounting through knockouts at 500m spacing.

导轨接驳器 Track Connectors


3 线 A 嵌入式电源接驳器 - 左 Feeder-L




3 线 A 嵌入式电源接驳器 - 右 Feeder-R




3 线 A 嵌入式直线接驳器 Straight connector




3 线 A 嵌入式四向接驳器 X-connector




3 线 A 嵌入式 L 型接驳器 - 左 L-connector - L




3 线 A 嵌入式 L 型接驳器 - 右 L-connector - R




3 线 A 嵌入式三向接驳器 - 左 T-connector - L




3 线 A 嵌入式三向接驳器 - 右 T-connector - R




任意角度接驳器 Flexible Connector



3 线 A 电源终接 End cap



3 线短软连接器 Connector



3 线挂件吊装线 Fitting

